



Model:LC192FD		Engine BOM Number:T196006883-0008034		LC/LT - 2023 - A	
No.	Part No.			Reqd. QTY	CONSUMABLE GRADE
1	380140077-0005	Hexagon bolt with flange	GB/T 5789_M6_L=20;Q16	9	C
2	120230190-0001	Cylinder head cover	T196	1	C
3	380741427-0001	Breather tube	T199_90°	1	A
4	110850029-0001	PACKING, BREATHER CHAM	T196	1	A
5	110840040-0001	CAP,BREATHER CHAMBER	T196;	1	C
6	380140039-0003	Hexagon bolt with flange	GB/T 5789_M6_L=8;Q16	7	C
7	120250054-0001	Gasket for cylinder head cover	T1241.0JM301;	1	A
8	380140337-0001	Hexagon bolt with flange	T110_M10_L=80;Q16	4	C
9	380180099-0001	Stud	T110_M8_L=54;Q16	2	C
10	180650113-0001	Outlet gasket	T470;	1	A
11	180572669-0001	Muffler	T196_M8	1	B
12	270960014-0001	Spark plug	F7RTC_	1	A
13	120080789-0001	Cylinder head	T196_	1	B
14	120150249-0001	Gasket for cylinder head	T196	1	A
15	380600116-0001	ocation pin	T110_d=12_L=20;	2	C
16	140510059-0001	Valve rocker shaft	T124_φ10×30;	2	B
17	140450069-0001	Valve rocker combination	T124;	2	B
18	140320002-0001	Valve adjustment cap	T110;Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	2	B
19	140390015-0001	Valve locker	T11D;Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	4	B
20	140380021-0001	Retainer, valve spring	T11D_Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	2	B
21	140340025-0001	Inner spring of valve	T11D_Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	2	B
22	140360010-0001	Seat, valve spring	T110;Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	1	B
23	140400012-0001	Valve oil seal	T110;Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	1	B
24	500550063-0001	Valve Kit	T124	1	B
25	380140005-0006	Hexagon bolt with flange	GB/T 16674.1_M8_L=40;Q16	7	C
26	380650337-0001	Oil seal	T110_d=35_D=52_b=7;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	2	B
27	110820299-0001	Crankcase cover	T196	1	C
28	150290043-0001	Engine oil Strainer	T196	1	A
29	171750045-0001	Components of governor gear	T196;	1	B
30	381150716-0001	Compression spring	T196Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	1	B
31	380640016-0001	Steel ball	GB/T 308_Φ9.5;	1	C
32	380600121-0002	ocation pin	T041_d=8_L=10Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	2	C
33	380840925-0001	Seal ring	T470_D=41.6_d=3.5	1	A
34	170870162-0001	Tank cover	T040_B	1	B
35	170720009-0001	Pouring orifice filter screen cover	T056_CARB	1	A
36	270280034-0001	Tension disc for wire bundle	T196Q16	1	C
37	380950188-0001	Pipe clip	T040_	2	A
38	283690002-0001	Oil level alarm	T390(0.02~0.06)MPa;	1	A
39	281890014-0001	Engine oil protector	T196	1	A
40	271050072-0001	Initiate control box	T196	1	A
41	150010136-0001	Components of oil pump	T199	1	B
42	110830071-0001	Crankcase cover gasket	T196	1	A
43	171680198-0001	Throttle handle combination	T199_Q16	1	B
44	140670067-0001	Push rod	T196_	2	B
45	140690004-0001	Lifter, Valve	T110;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	2	B
46	140020183-0001	Camshaft assy	T196;	1	B
47	130150143-0001	Connecting rod	T196_中心距107.5;	1	B
48	130450051-0001	Balancing shaft	T196;	1	B
49	130290704-0002	crankshaft	T196R1	1	B
50	380600119-0001	ocation pin	T110_d=8_L=12;	2	C
51	380840812-0001	Seal ring	T372_D=11.7_d=2.5_	1	A
52	171600151-0001	Governing spring	T199_10.75126_	1	A
53	171620036-0002	Speed regulating bracket	T470;Q16	1	C
54	380650339-0001	Oil seal	T110_d=8_D=14_b=4;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	1	B
55	381350004-0001	Pin clip	T040	1	A
56	171630003-0001	Speed regulating arm	T110;	1	B
57	380450522-0001	Flat washer	T110_T2116_1.2Q08	1	C
58	110690097-0003	Oil rule combination	T190Q82	1	B
59	110810436-0001	Crankcase body	T199	1	C
60	270190052-0001	Components of charging current	T196_60HZ_单组_DC10W,220	1	C
61	380620034-0001	Key	GB/T1095_L=54_6×6.3_	1	B
62	380140004-0004	Hexagon bolt with flange	GB/T 16674.1_M8_L=20;Q16	2	C
63	380940346-0003	Cable cleat	T560REACHROHS	1	A
64	110260024-0001	Sealing plug screw	T110_M12×1.5×15Q16	1	C
65	380450516-0001	Flat washer	T110_T21_12_20_2	1	C
66	172840061-0001	Tank supporting bracket	T199	1	C
67	172840062-0001	Tank supporting bracket	T199	1	C
68	380140785-0001	Hexagon bolt with flange	T199_M10×1.25_L=20_10.9Q16	4	C
69	380370007-0004	Hexagon nut with flange	GB/T 6177.1_M8;Q16	2	C
70	380920086-0001	rubber flat gasket	T040_8.5 Outer diameter 17 Thickness 2.5 Oil nozzle rubber	2	A
71	380560057-0001	Steel cable baffle ring	T110_	2	B
72	130030290-0001	Piston	T196;	1	A
73	130060080-0001	Piston pin	T196_φ20×48;	1	B
74	130070251-0001	Piston ring combination	T196;	1	A
75	380180091-0001	Stud	T110_M6/8_L=134;	2	C
76	170430062-0001	Carburetor gasket	T11D_Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	1	A
77	170440080-0001	Heat insulating pad for carburetor	T116_PF;	1	B

78	170430050-0001	Carburetor gasket	T11D_Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	1	A
79	160190117-0001	air deflector	T196_Q16	1	C
80	170022334-0001	Carburetor	T196_Q16	1	B
81	171610025-0001	throttle return spring	T470;	1	A
82	171590054-0001	Throttle rod	T199_	1	B
83	170430070-0001	Carburetor gasket	T11D_Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤100ppm	1	A
84	180021071-0001	Air filter	T199_REACH	1	B
85	380370048-0001	Hexagon nut with flange	GB/T 6177.1_M6Q16	2	C
86	270920509-0001	COIL ASSY.,IGNNTION	T196_5kΩ	1	A
87	380140103-0004	Hexagon bolt with flange	GB/T 5789_M6_L=25;Q16	5	C
88	270020444-0001	FLYWHEEL COMP	T196	1	C
89	160180041-0002	Impeller	T196;1.2	1	B
90	193590039-0001	Starting disc	T196;Q16	1	C
91	380370079-0001	Hexagon nut with flange	T381__M16x1.5;Q16	1	C
92	193490548-0002	Manual starting assembly	T196_	1	B
93	380140067-0003	Hexagon bolt with flange	GB/T 5789_M6_L=12;Q16	8	C
94	380930027-0001	Location wire nail	T560_	1	A
95	380340005-0005	Hexagon nut	GB/T 6170_M8;Q16	2	C
96	380751166-0001	Oil tube	T199_	1	A
97	170501513-0001	Tank	T199_	1	B
98	270350100-0001	Starter motor component	T196_	1	B
99	380140148-0005	Hexagon bolt with flange	GB/T 16674.1_M8_L=50;Q16	2	C
100	380140521-0001	Hexagon bolt with flange	T320_3/8-24UNF-2B_L=28;Q16	1	C